

SAFETY DATA SHEET

1862 and Studio Oils White colours and Beige

SECTION 1: Identification of the substance/mixture and of the company/undertaking

11. Product identifier Trade name 1862 and Studio Oils White colours and Beige Other names / Synonyms Titanium White Beige Product no. 70xxxx 12. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Art supplies and hobby preparations Use descriptors (UK REACH) Sectors of use Description LCS "C" Consumer uses: Private households (= general public = consumers) Product category Description PC 9a Coatings and Paints, Fillers, Putties, Thinners Process category Description PROC 10 Roller application or brushing Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 D-90449 Nürnberg Germany +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4"First aid measures".				
LCS "C" Consumer uses: Private households (= general public = consumers) Product category Description PC 9a Coatings and Paints, Fillers, Putties, Thinners Process category Description PROC 10 Roller application or brushing Uses advised against None known. None known. 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 D-90449 Nürnberg Germany +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).	Trade name 1862 and Studio Oils Other names / Synonym Titanium White Zinc White Beige Product no. 70xxxxx 1.2. Relevant identified uses Relevant identified uses Art supplies and hob	es of the substance or mixture and uses advised against of the substance or mixture by preparations		
Product category Description PC 9a Coatings and Paints, Fillers, Putties, Thinners Process category Description PROC 10 Roller application or brushing Uses advised against None known. Roller application or brushing 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 D-90449 Nürnberg Germany +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).	Sectors of use	Description		
PC 9a Coatings and Paints, Fillers, Putties, Thinners Process category Description PROC 10 Roller application or brushing Uses advised against None known. None known. 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 D-90449 Nürnberg Germany +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).	LCS "C"	Consumer uses: Private households (= general public = consumers)		
Process category Description PROC 10 Roller application or brushing Uses advised against None known.	Product category	Description		
PROC 10 Roller application or brushing Uses advised against None known. None known. 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 Use address D-90449 Nürnberg Germany Fabrik +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).	PC 9a	Coatings and Paints, Fillers, Putties, Thinners		
Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 D-90449 Nürnberg Germany +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).	Process category	Description		
None known. 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 D-90449 Nürnberg Germany +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).	PROC 10	Roller application or brushing		
SECTION 2: Hazards identification	Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Lukas-Nerchau GmbH c/o Lyra Bleistift-Fabrik Willstätterstraße 54-56 D-90449 Nürnberg Germany +49 911 6805-101 www.Lukas.eu Contact person Research and Development E-mail webmaster@daler-rowney.com Revision 20/03/2023 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service).			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



¥2

\mathbf{v}
Signal word
Not applicable.
Hazard statement(s)
Toxic to aquatic life with long lasting effects. (H411)
Safety statement(s)
General
-
Prevention
Avoid release to the environment. (P273)
Response
Collect spillage. (P391)
Storage
-
Disposal
Dispose of contents/container in accordance with local regulation. (P501)
Hazardous substances
zinc oxide
Additional labelling
Not applicable.
2.3. Other hazards

Additional warping

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Barium sulfate	CAS No.: 7727-43-7 EC No.: 231-784-4 UK-REACH: Index No.:	231-784-4 CH:		[1]
zinc oxide	CAS No.: 1314-13-2 EC No.: 215-222-5 UK-REACH: Index No.: 030-013-00-7	10-15% Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)		

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.



Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: •3Z

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities



Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material Keep only in original packaging. Storage temperature Dry, cool and well ventilated Room temperature 15 to 25°C Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 7.3. Specific end use(s) This product should only be used for applications quoted in section 1.2. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Barium sulfate No substances are listed in the national list of substances with an occupational exposure limit. DNFL No data available. **PNEC** No data available. 8.2. Exposure controls Control is unnecessary if the product is used as intended. General recommendations Smoking, drinking and consumption of food is not allowed in the work area. Exposure scenarios There are no exposure scenarios implemented for this product. **Exposure limits** Occupational exposure limits have not been defined for the substances in this product. Appropriate technical measures Apply standard precautions during use of the product. Avoid inhalation of vapours. Hygiene measures In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face. Measures to avoid environmental exposure Keep damming materials near the workplace. If possible, collect spillage during work. Individual protection measures, such as personal protective equipment Generally Use only UKCA marked protective equipment. **Respiratory Equipment** No specific requirements Skin protection Recommended **Type/Category** Standards Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester. Hand protection No specific requirements. Eye protection No specific requirements. SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state Liquid Colour White



Odour / Odour threshold Characteristic
pH Testing not relevant or not possible due to nature of the product.
Density (g/cm ³) 1.5
Kinematic viscosity 50 mPa.s (20 °C)
Particle characteristics Does not apply to liquids.
Phase changes
Melting point/Freezing point (°C) Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C) Does not apply to liquids.
Boiling point (°C) Testing not relevant or not possible due to the nature of the product.
Vapour pressure Testing not relevant or not possible due to the nature of the product.
Relative vapour density Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
Flash point (°C) 99
Flammability (°C)
Testing not relevant or not possible due to the nature of the product. Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product.
Solubility Solubility in water
Insoluble n-octanol/water coefficient
Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product.
9.2. Other information
Other physical and chemical parameters No data available.
SECTION 10: Stability and reactivity
10.1. Reactivity
No data available.
10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions
None known. 10.4. Conditions to avoid
None known.
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products
The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information



11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law
Acute toxicity
Based on available data, the classification criteria are not met. Skin corrosion/irritation
Based on available data, the classification criteria are not met.
Serious eye damage/irritation Based on available data, the classification criteria are not met.
Respiratory sensitisation Based on available data, the classification criteria are not met.
Skin sensitisation Based on available data, the classification criteria are not met.
Germ cell mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met.
Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.
STOT-repeated exposure
Based on available data, the classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met.
11.2. Information on other hazards
Long term effects
None known.
Endocrine disrupting properties Not applicable.
Other information
None known.
SECTION 12: Ecological information
12.1. Toxicity
No data available.
12.2. Persistence and degradability No data available.
12.3. Bioaccumulative potential
No data available.
12.4. Mobility in soil No data available.
12.5. Results of PBT and vPvB assessment This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
12.6. Endocrine disrupting properties Not applicable.
12.7. Other adverse effects
This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.
This product contains substances, which may cause adverse long-term effects to the aquatic environment

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

Waste treatment methods

Product is covered by the regulations on hazardous waste. HP 14 – Ecotoxic Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. EWC code 08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances Specific labelling



Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Class: 9 Labels: 9 Classification code: M6	ΙΠ	Yes	Limited quantities: 5 L Tunnel restriction code: (-) See below for additional information.
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Class: 9 Labels: 9 Classification code: M6	Π	Yes	Limited quantities: 5 L EmS: F-A S-F See below for additional information.
ΙΑΤΑ	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Class: 9 Labels: 9 Classification code: M6	III	Yes	See below for additional information.

* Packing group

** Environmental hazards

Additional information

These substances when carried in single or combination packaging's containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR/IMDG/IATA provided the packaging's meet the general provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4 - 4.1.1.8 (ADR, IMDG) / 5.0.2.4.1, 5.0.2.6.1.1, 5.0.2.8 (IATA).

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: •3Z 14.6. Special precautions for user



Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Restrictions for application

No special.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

E2 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 200 tonnes / (upper-tier): 500 tonnes

Additional information

Not applicable.

Sources

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "C" = Consumer uses: Private households (= general public = consumers)

PROC 10 = Roller application or brushing

PC 9a = Coatings and Paints, Fillers, Putties, Thinners

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail



RRN = REACH Registration Number SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

PH

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en