Article Print d Versio	late:	StAquarellN 31.03.2020 1.5	LUKAS Aquarell Studio Revision date: 22.01.2 Issue date: 13.04.2015	2018	EN age: 1 / 6	
	SECTION	1: Identification	of the substance/mix	xture and of the compa	ny/undertaking	
1.1.		entifiers (manufacturer/supp n of the substance	or mixture LU Fi	tAquarellN UKAS Aquarell Studio Pan ine, Moist Artists' Water Co rt. No. 1404 - 1448, 23 Sha		
1.2.	<ol> <li>Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Paints for Arts, Hobby &amp; Craft Artists supply and hobby preparations Coatings and paints, thinners, paint removers</li> </ol>					
1.3.	Supplier (r Daler-Rowr Peacock La Bracknell, F ENGLAND	ney Ltd	rter/downstream user/o Te Te	<b>distributor):</b> elephone: +44 (0) 1344 461 elefax: +44 (0) 1344 48651		
1.4.	E-mail Emergency Emergency	<b>y telephone numbe</b> telephone:	r	hilip.Gray@daler-rowney.co 44 (0) 1344 461000	om	
	SECTION	2: Hazards ident	ification			
2.2.	The mixture Label elem The produc	e is classified as not nents t is classified and la according to Regu	-	o regulation (EC) No 1272/2 directives or corresponding		
	Hazard sta	tements not appl	cable			
	contains:	not appl not appl not appl	cable			
		not appl				
2.3.	Other haza					
2.0		3: Composition	information on ingr	ealents		
3.2.	Descriptio Hazardous	n Water C agents, ingredients ion according to R REACH Chemic	additives. egulation (EC) No 1272 No. al name	bic, dextrins, sugar, glycerc 2/2008 [CLP]		anic pigments, wetting Wt % Remark

Article No.:	StAguarellN	LUKAS Aguarell Studio Pan	
Print date:	31.03.2020	Revision date: 22.01.2018	EN
Version:	1.5	Issue date: 13.04.2015	Page: 2 / 6

not applicable

#### Additional information

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

## 5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Special protective equipment for firefighters

Provide a conveniently located respiratory protective device.

#### Additional information

Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### SECTION 6: Accidental release measures

6.1. **Personal precautions, protective equipment and emergency procedures** See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

#### SECTION 7: Handling and storage

Article No.:	StAquarellN	LUKAS Aquarell Studio Pan	
Print date:	31.03.2020	Revision date: 22.01.2018	EN
Version:	1.5	Issue date: 13.04.2015	Page: 3 / 6

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Follow the legal protection and safety regulations.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed.

#### Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C.

#### 7.3. Specific end use(s)

Observe instructions for use.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values:

INDEX No. not applicable / CAS No.

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### **Occupational exposure controls**

**Respiratory protection** 

Not applicable.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time (maximum wearing time) 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye protection

Wear closely fitting protective glasses in case of splashes.

#### **Protective clothing**

Wear suitable protective clothing and gloves.

#### Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

#### SECTION 9: Physical and chemical properties

9.1.	Information on basic physical a Appearance: Physical state: Colour: Odour:	nd chemical properties solid solid refer to label characteristic			
	Safety relevant basis data		Unit	Method	Remark
	Flash point:	Not applicable	°C	DIN 53213	
	Vapour pressure at 20 °C::	3,29			
	Density at 20 °C::	1,90	g/cm³		
	Water solubility (g/L):	completely miscible			
	pH at 20 °C::	6,5			
	Viscosity at °C::	-			
9.2.	Other information:				

#### **SECTION 10: Stability and reactivity**

Article No.:	StAquarellN	LUKAS Aquarell Studio Pan	
Print date:	31.03.2020	Revision date: 22.01.2018	EN
Version:	1.5	Issue date: 13.04.2015	Page: 4 / 6

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

#### 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

#### **SECTION 11: Toxicological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] No data on preparation itself available.

#### 11.1. Information on toxicological effects

#### Acute toxicity

Toxicological data are not available.

#### skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

#### Respiratory or skin sensitisation

Toxicological data are not available.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Toxicological data are not available.

#### Specific target organ toxicity

Toxicological data are not available.

#### Aspiration hazard

Toxicological data are not available.

#### Practical experience/human evidence

Other observations:

Splashing may cause eye irritation and reversible damage.

#### **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself .

### **SECTION 12: Ecological information**

#### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

No information available.

#### Long-term Ecotoxicity

Toxicological data are not available.

#### 12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential Toxicological data are not available. Bioconcentration factor (BCF)

2.4.	Toxicologi			Page: 5 / 6		
	TUNICUIUgi	cal data are not av	ailable.			
	Mobility in Toxicologi	<b>n soil</b> cal data are not ava	ailable.			
2.5.	Results o	Results of PBT assessment				
	The substa	ances in the mixtur	e do not meet the PBT/vPvB criteria ac	cording to REACH, annex XIII.		
2.6.	Other adv	erse effects				
	SECTION 13: Disposal considerations					
3.1.	Waste tre	atment methods				
	Recomme Do not allo	ow to enter into su		d its container must be disposed of in a safe way. Waste gerous waste.		
	List of pro 080112		es/waste designations in accordance paint and varnish other than those men			
	packaging Recomme Non-conta used paint	endation minated packages	may be recycled. Vessels not properly	emptied are special waste. Send to a collecting point fo		
	SECTION	l 14: Transport i	nformation			
	ICAO/IAT/	۹).	ified as dangerous according to see of this transport regulation.	nternational transport regulations (ADR/RID, IMDG		
	UN numbe	-				
			not applicable			
4.2. 1	UN proper	shipping name				
4.3.	Transport	hazard class(es)	not applicable			
44	Packing g	iroup				
		1.046	not applicable			
4.5.	Environm	ental hazards				
	Land trans	sport (ADR/RID)	not applicable			
	Marine pol	llutant	not applicable			
4.6.	Special p	recautions for use	r			
	case of an	always in closed, u accident or leakag n safe handling: se	je.	that persons transporting the product know what to do in		
	Further in	formation				
		sport (ADR/RID)				
			-			
		port (IMDG)				
	EmS-No.	in hulk according	not applicable g to Annex II of Marpol and the IBC C	Code		
	not applica					
	SECTION	15: Regulatory	information			
			nental regulations/legislation specifi	c for the substance or mixture		

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline). VOC-value (in g/L) ISO 11890-2: 77

Article No.: Print date: Version:	StAquarellN 31.03.2020 1.5	LUKAS Aquarell Studio Pan Revision date: 22.01.2018 Issue date: 13.04.2015	EN Page: 6 / 6	

VOC-value (in g/L) ASTM D 2369:

#### National regulations

105

**Restrictions of occupation** 

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

#### Other regulations, restrictions and prohibition regulations

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

#### 16. Other information

#### Full text of classification in section 3:

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations.Without written approval, the product must not be used for purposes different from those mentioned in chapter 1.It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

Article Print o Versio	date:	1402N 31.03.2020 1.1	LUKAS Aquarell St Revision date: 22.0 Issue date: 13.04.2	)1.2018	EN Page: 1 / 7
	SECTION	1: Identification	of the substance/	mixture and of t	he company/undertaking
1.1.	Article No. (manufacturer/supplier): Identification of the substance or mixture			1402N LUKAS Aquarell Fine, Moist Artist Art. No. 1402 Ch	s' Water Colours
1.2.	Relevant identified uses of the substance or mixture Relevant identified uses Paints for Arts, Hobby & Craft Artists supply and hobby preparations Coatings and paints, thinners, paint removers			ture and uses ad	/ised against
1.3.	Details of the	ne supplier of the	safety data sheet		
	•••	•	orter/downstream us	er/distributor):	
	Daler-Rown Peacock La Bracknell, R ENGLAND	ne		Telephone: +44 ( Telefax: +44 (0)	
	Dept. respo	onsible for inform	ation:		
	E-mail			Philip.Gray@dale	r-rowney.com
1.4.	Emergency Emergency	telephone numb telephone:	er	+44 (0) 1344 461	000
	SECTION	2: Hazards iden	tification		
2.1.	Classificati	on of the substa	nce or mixture		
	Classificati	on according to	Regulation (EC) No 1	272/2008 [CLP]	
			zardous according to		
	Aquatic Acu Aquatic Chro	te 1 / H400 onic 1 / H410	Hazardous to the ad Hazardous to the ad		
2.2.	Label eleme	ents			
					responding national laws.
	Labelling a Hazard pict		Ilation (EC) No. 1272	/2008 [CLP]	
	¥2	Warning			
	Hazard stat	ements			
	H410	•	xic to aquatic life with	long lasting effects	
	Precautiona P501	ary statements Dispose	e of contents/containe	er in accordance wi	h local legislation.
	contains:	not one	liaabla		
	Supplemen	not app <b>tal Hazard inforn</b> not app	nation (EU)		
2.3.	Other haza				
	SECTION	3: Composition	/ information on in	ngredients	
3.2.	Mixtures				
	Product de	scription / chemi	cal characterization		
	Description	Water 0	Color		
	Hazardous	-			
	Classificati	on according to	Regulation (EC) No 1	272/2008 [CLP]	

Article No.: Print date: Version:	1402N 31.03.2020 1.1	LUKAS Aquarell Studio Pan Revision date: 22.01.2018 Issue date: 13.04.2015	EN Page: 2 / 7		
EC No. CAS No INDEX N	. Chen	CH No. nical name ification:		Wt % Remark	
215-222 1314-13 030-013	-2 zinc d	19463881-32 oxide tic Acute 1 H400 / Aquatic Chronic 1 H4	110	25 - 50	
	nal information	lic Acule 1 H400 / Aqualic Chionic 1 H4	+10		

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm.

4.2. **Most important symptoms and effects, both acute and delayed** In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### SECTION 5: Firefighting measures

5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases:

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Special protective equipment for firefighters

Provide a conveniently located respiratory protective device.

#### Additional information

Do not allow water used to extinguish fire to enter drains, ground or waterways.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

## 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

### 6.4. Reference to other sections

Article No.:	1402N	LUKAS Aguarell Studio Pan	
Print date:	31.03.2020	Revision date: 22.01.2018	EN
Version:	1.1	Issue date: 13.04.2015	Page: 3 / 7

Observe protective provisions (see section 7 and 8).

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Follow the legal protection and safety regulations.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed.

#### Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C.

#### 7.3. Specific end use(s)

Observe instructions for use.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limit values:

zinc oxide INDEX No. 030-013-00-7 / EC No. 215-222-5 / CAS No. 1314-13-2 TWA: 5 mg/m3

STEL: 10 mg/m3

#### Additional information

TWA : long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

#### 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

#### Occupational exposure controls

**Respiratory protection** 

Not applicable.

#### Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time (maximum wearing time) 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Eye protection

Wear closely fitting protective glasses in case of splashes.

#### **Protective clothing**

Wear suitable protective clothing and gloves.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance:	solid
Physical state:	solid
Colour:	refer to label
Odour:	characteristic

#### Safety relevant basis data

Method

Article Print da Versio	ate:	1402N 31.03.2020 1.1	LUKAS Aquarell Studio Pan Revision date: 22.01.2018 Issue date: 13.04.2015	EN Page: 4 / 7
	Density at	essure at 20 °C:: 20 °C:: bility (g/L): ::: t °C::	Not applicable 2,8 2,26 completely miscible - -	°C DIN 53213 g/cm³
	SECTION	10: Stability and	l reactivity	
	Reactivity			
10.2.	Chemical s	-	mmended regulations for storag	e and handling. Further information on correct storage: refer to
10.3.	Possibility	of hazardous read	ctions	
	section 7. H	n applying the reco lazardous decompo	mmended regulations for storag osition byproducts may form with	e and handling. Further information on correct storage: refer to exposure to high temperatures.
10.5.	Incompatil	ole materials		
	Hazardous	decomposition p decomposition byp ogen oxides.		e to high temperatures, e.g.: carbon dioxide, carbon monoxide,
	SECTION	11: Toxicologica	al information	
		on according to Reg preparation itself a	gulation (EC) No 1272/2008 [CLF vailable.	2]
11.1.	Informatio	n on toxicological	effects	
	Acute toxi	city		
		), Rat: > 15000 mg/ (dust and mist), LC	'kg :50, Rat: > 5.7 mg/l    (4 h)	
	skin corro	sion/irritation; Ser	ious eye damage/eye irritation	
	Not an irri	CD 405, Rabbit		
	Respirator	y or skin sensitisa	ition	
	zinc oxide Skin, Guir not sensit			
	CMR effec	ts (carcinogenicity	, mutagenicity and toxicity for	reproduction)
	No experi Carcinoge		of genotoxicity in-vitro exist. nogenicity.	
		rget organ toxicity		
	-	al data are not avai		
	Aspiration			
	-	al data are not avai	lable.	
	Practical e	xperience/human	evidence	
	Other obse	rvations:	tion and reversible damage.	
	<b>.</b>			

**Overall Assessment on CMR properties** 

Article No.:	1402N	LUKAS Aquarell Studio Pan		
Print date:	31.03.2020	Revision date: 22.01.2018	EN	
Version:	1.1	Issue date: 13.04.2015	Page: 5 / 7	

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself .

#### **SECTION 12: Ecological information**

#### overall evaluation

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Very toxic to aquatic organisms.

zinc oxide Fish toxicity, LC50, fish 1.1 - 2250 mg/l (96 h) Algae toxicity, ErC50, Selenastrum capricornutum: 0.17 mg/l (72 h)

#### Long-term Ecotoxicity

Very toxic to aquatic life with long lasting effects.

#### 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

#### **Bioconcentration factor (BCF)**

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

#### List of proposed waste codes/waste designations in accordance with EWC

080111\* waste paint and varnish containing organic solvents or other dangerous substances

#### packaging

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

#### **SECTION 14: Transport information**

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

#### 14.1. UN number

UN 3077

14.2. UN proper shipping name	
Land transport (ADR/RID):	Environmentally hazardous substance, solid, n.o.s.
	(Zincoxide)
Sea transport (IMDG):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
	(Zincoxide)
Air transport (ICAO-TI / IATA-DGR):	Environmentally hazardous substance, solid, n.o.s.
, , ,	(Zincoxide)

Article Print o Versio	date:	1402N 31.03.2020 1.1	LUKAS Aquarell Studio Pan Revision date: 22.01.2018 Issue date: 13.04.2015	EN Page: 6 / 7		
14.3.	Transpor	t hazard class(es)				
			9			
14.4.	Packing	group	Ш			
14.5.	Environr	nental hazards				
	Land tran	nsport (ADR/RID)	UMWELTGEFÄHF	RDEND		
	Marine po	ollutant	p / Zincoxide			
14.6.	Special p	precautions for user				
	case of a	t always in closed, up n accident or leakage on safe handling: see	2.	that persons transporting the product know what to do in		
	Further i	nformation				
	Land tra	nsport (ADR/RID)				
	tunnel res	striction code	E			
	Sea trans	sport (IMDG)				
	EmS-No.		F-A, S-F			
14.7.	Transpo	rt in bulk according	to Annex II of Marpol and the IBC C	ode		
	not applic	cable				
	SECTIO	SECTION 15: Regulatory information				
15.1.	Safety, h	ealth and environm	ental regulations/legislation specifi	c for the substance or mixture		
	-	EU legislation				
	VOC-valu	ion according to 19 ue (in g/L) ISO 11890 ue (in g/L) ASTM D 23	-2: 0	ons of volatile organic compounds (VOC-guideline).		
		regulations				
	<b>Restricti</b> Observe	<b>Restrictions of occupation</b> Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).				
	Other reg	Other regulations, restrictions and prohibition regulations				
15.2.	Chemical Safety Assessment For the following substances of this preparation a chemical safety assessment has been carried out:					
	EC No.	-	cal name	REACH No.		
	CAS No. 215-222- 1314-13-	5 zinc oxi		01-2119463881-32		
16.	Other in	formation				
	Full text	of classification in	section 3:			
	Aquatic A	Acute 1 / H400 Chronic 1 / H410	Hazardous to the aquatic environme Hazardous to the aquatic environme			

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be

Article No.:	1402N	LUKAS Aquarell Studio Pan
Print date:	31.03.2020	Revision date: 22.01.2018
Version:	1.1	Issue date: 13.04.2015

EN Page: 7 / 7

regarded as guaranteed attributes of the product.